

# High Power LED Multi PAR




Please read over this user manual before using products

## 1、Checking

Welcome to use our products, we are glad to offer you our highest quality and best service. Please check if the following parts are inside the package after you open the package:

User manual 1pcs 3meters 3chips signal wire 1pcs  
Light equipment 1pcs

## 2、Operation



Function setup:


Press Menu Setup digital address	800	Up/down Select Dmx digital address	800	To	8229	Enter (confirm)	8229	Font become to bright
Press Menu Setup digital address	001	Up/down Select 01 program	001	Enter (confirm)	001	Font become to bright	001	Red color
		Up/down Select 02 program	002	Enter (confirm)	002	Font become to bright	002	Orange color
		Up/down Select 03 program	003	Enter (confirm)	003	Font become to bright	003	Yellow color
		Up/down Select 04 program	004	Enter (confirm)	004	Font become to bright	004	Green color
		Up/down Select 05 program	005	Enter (confirm)	005	Font become to bright	005	Cambridge blue
		Up/down Select 06 program	006	Enter (confirm)	006	Font become to bright	006	Blue
		Up/down Select 07 program	007	Enter (confirm)	007	Font become to bright	007	Rose color
		Up/down Select 08 program	008	Enter (confirm)	008	Font become to bright	008	Purple
		Up/down Select 09 program	009	Enter (confirm)	009	Font become to bright	009	White color
		Up/down Select 10 program	010	Enter (confirm)	010	Font become to bright	010	Color changed by Voice active
		Up/down Select 11 program	011	Enter (confirm)	011	Font become to bright	011	Strobe and color changed by Voice active
		Up/down Select 12 program	012	Enter (confirm)	012	Font become to bright	012	Color changing slowly
		Up/down Select 13 program	013	Enter (confirm)	013	Font become to bright	013	Color changing speed
		Up/down Select 14 program	014	Enter (confirm)	014	Font become to bright	014	Strobe+color changing slowly
Press Menu Setup Work Auto speed	5901	Up/down Speed from 01-16	5901	To	5918	Enter (confirm)	5918	Font become to bright
Press Menu Setup control mode	dnCo	Up/down DMX Control	dnCo	Enter (confirm)	dnCo	Font become to bright	dnCo	
		Up/down Work Auto	Auto	Enter (confirm)	Auto	Font become to bright	Auto	
		Up/down Slave/Maste mode	SLAB	Enter (confirm)	SLAE	Font become to bright	SLAE	

### 3、 Skill parameter


- 1、 Voltage: AC220V , 50/60HZ.
- 2、 Power: 110W
- 3、 LED size:3W
- 4、 DMX Channels:6
- 5 RGB colors infinite mixing possibility + strobe + dimmer+Multifunction

### 4、 Channels


Channel 1: RGB dimmer




Channel 2: Red dimmer




Channel 3: Green dimmer




Channel 4: (Blue)dimmer



Channel 5: Colors infinite mixing



Channel 6: Strobe



## 5、Connecting

### 一. Connecting drawing when equipment controlled by DMX512



### 二. Work Auto, mast/slave connecting drawing



## 6、Announce

一。1. This products before leaving the factory, the operation and packaging of this unit were checked and passed quality inspection. Users must read and observe the directions described in this user manual. Any damage caused through misuse or Not following the User Manual during the warranty period will not be covered by the manufacturer's guarantee.

二。We reserve the right to modify the information stated in this user manual at any time and without prior-notice.