

Household Catalog

LEDLight.com

Contact us
Toll Free 1(877)283-5060
(602)997-0366
sales@LEDLight.com

LEDLight.com

LEDLight.com LLC
12215 East Chandler Heights Rd Chandler, AZ 85249
Toll Free 1(877)283-5060 Local 1(602)997-0366 Fax 1(602)861-4088

General Bulb

Standard Ultra Bright 7 SMT LED Light-45859.....	1
Standard Ultra Bright 6 Watt LED Light-78469.....	1
Standard Ultra Bright Five 1 Watt LED Light-42522.....	2
Side Firing LED Light-45376.....	2
GU24 5 Watt LED Light-24325.....	2
Ultra Bright Candle LED Light-63452.....	3
8 Watt LED Light Bulb-56963.....	3
1.3 Watt LED Light Bulb-34678.....	3
24 LED Light Bulb-48645.....	4
3 Watt LED Light Bulb-75644.....	4
104 LED 5 Watt LED Light Bulb-47208.....	4
Low Profile Candle E14 Base LED Light Bulb-34324.....	5
Motion activated LED Light Bulb-45703.....	5
5 Watt LED Light-83428.....	5
8 ½ Watt L.E.D. Light Bulb-47856.....	6
13.5 Watt 88 Super Flux L.E.D. Light Bulb-43567.....	6
20 Watt 128 Super Flux L.E.D. Light Bulb-73215.....	6
Globe LED Lamp E12 Base-19567.....	7
High Power Appliance LED Light Bulb-83548.....	7
1.5 Watt Appliance E17 Base LED Light Bulb-94753.....	7
Standard 3 Watt LED Light Bulb-23430.....	8
7 Watt LED Light Bulb-74556.....	8
11 Watt LED Light Bulb-34562.....	8
Globe LED Light Bulb-78427.....	9
Standard Ultra Bright 3 Watt LED Light-33152.....	9
Standard LED Light Bulb-54968.....	9
Standard Super Bright LED Light-78545.....	10
3.7 Watt LED Light Bulb NCNRNW-23234.....	10
Candle LED Light Bulb-45345.....	10
Standard Appliance LED Light Bulb-57896.....	11
Standard Ultra Bright LED Light Bulb-42336.....	11
4 Watt LED Light Bulb-54465.....	11
Standard Ultra Bright Four 1.25 Watt LED Light-43897.....	12
A19 Ultra Bright 50 LED Light Bulb-78459.....	12
PAR20 3.5 Watt 48 LED Light Bulb-83546.....	12
38 LED Standard LED Bulb-97464.....	12
C35 LED Candle E27 28 LEDs-39847.....	12
High Luminous Flux A19 LED Light-45363.....	12
LED S6 Night Light E12 120 VAC-45751.....	12
Standard Ultra Bright 8 Watt LED Light Bulb-45867.....	12
4 Watt Standard LED Light Bulb E27-48575.....	12
4 Watt Standard LED Light Bulb E27-48733.....	12

Spot/Flood Lighting

PAR38 Twelve 1 Watt LED Light-47895.....	12
PAR30 Nine 1 Watt LED Light-43253.....	12
PAR30 Second Generation 7 One Watt LEDs 88-265 VAC-45987.....	13
9 Watt Spot LED Light-56734.....	13
7 Watt High Power LED Spot Light-45856.....	13
PAR20 Ultra Bright Three 2 Watt LED Light-49856.....	14
PAR38 Ultra Bright LED Light Bulb-47854.....	14
PAR38 LED Light Bulb-83654.....	14
PAR20 LED Light Bulb-34456.....	15
8 Watt PAR30 Nichia LEDs-89785.....	15
PAR30 LED Light Bulb-43564.....	15
PAR16 Three 1 Watt Ultra Bright LED Light-36357.....	16
PAR16 24 LED 1.3 Watt LED Light-32633.....	16
PAR20 Ultra Bright LED Light-48798.....	16
PAR20 Super Bright LED Light-63256.....	17
PAR20 Three 1 Watt LED Light-36352.....	17
PAR30 Seven 1 Watt Wide Angle LED Light-86754.....	17
PAR56 LED Light 7 Watt-79642.....	18
2 Inch Down LED Light Bulb-45745.....	18
Six Inch Down Light-74367.....	18
GU10 12 SMD LED Light-25364.....	19
PAR16 One 3 Watt LED Light-28469.....	19
PAR30 Seven 1 Watt LED Light-65223.....	19
PAR16 Three 1 Watt LED Light-95562.....	20
PAR30 High Power 7 Watt LED Light Bulb-44343.....	20
12 SMD PAR16 3 Watt LED Light Bulb-56342.....	20
PAR38 6 Watt 120 LED Light Bulb-57363.....	20
Dimmable LED PAR 30 Seven 1.2 Watt LED Light Bulb-58461.....	20
PAR30 5 Watt 84 LED Light Bulb-72337.....	20
G9 48 SMT Forward Firing LED Light Bulb-77653.....	20
Dimmable L.E.D. Par 38 Nine 1.2 Watt LED Light Bulb-85765.....	20
PAR 36 LED Lighting 120 VAC Bi-Lugs-25784.....	20

Tube Lighting

T12 T8 LED Tube Light 4 Foot 15 Watt-55634.....	20
T12 T8 LED Tube Light 2 Foot 7 Watt-26536.....	21
T5 Tube LED Light-34546.....	21
T8 T12 1/3 Watt High Power SMT 2 Foot / 60 CM LED Tube Light.....	21
T8 T12 320 SMT 19 Watt 4 Foot LED Tube Light-59365.....	21
T12 T8 4 Foot 60 S.M.T. LED Tube Light-78541.....	21
T8/T12 10 Watt 160 SMT 3528 2 Foot LED Tube Light-84658.....	21
T12 T8 5 Foot 90 S.M.T. LED Tube Light-28567.....	21
LED Digital Tube DMX512 Interlinkable 120 VAC-34522.....	21

High Power

36 One Watt LED RGB Wall Washer DMX-45667.....	21
30 Watt High Power LED Light-73957.....	22
20 Watt High Power LED Light-23157.....	22
30 Watt LED Street Light-42313.....	22
60 Watt Street LED Light-48675.....	23
36 One Watt L.E.D. Wall Washer DMX-45673.....	23
100 Watt LED High Hat High Power LED Light.....	23
50 Watt High Power Outdoor Spot Light-75634.....	23
30 Watt Low Profile High Power Outdoor L.E.D. Spotlight-78233.....	23
DMX Cable Harness 1 Meter-78654.....	23
DMX 512 Address Editor-33213.....	23
Moving LED Light DMX512 Controlled-35522.....	23
DMX Controller for Digital Tube-43522.....	23
36 One Watt LED RGB Wall Washer DMX-45667.....	23
High Power 36 Watt Low Profile LED Wall Washer-45846.....	23

Other

Motion activated LED Light-56935.....	23
Electronic LED Light Display-63456.....	24
Remote Control LED Light 12 Volt DC-63423.....	24
G9 30 LED Light 120Volt AC-74846.....	24
G9.5 39 LED Light 120 Volt AC-43543.....	25
Easylight Round 6 LED Light-56345.....	25
Easylight Square 6 LED Light-65734.....	25
G9U24 Recessed Can Fixture-97684.....	26
In Ground LED Light-32657.....	26
E14 Low Profile LED Light-53746.....	26
GU10 Three 1 Watt LED Light-86525.....	27
GU10 7 SMT LED Light-43783.....	27
Torch LED Light-31456.....	27
Motion LED Lighting-56784.....	27
Sound Activated LED Lamp E27 120 VAC-58864.....	27
High Power 4 Watt LED Underground LED Lighting-94852.....	27

Sockets

T15 Wedge Socket-86745.....	28
S25 BA15D w/ stand-35523.....	28
1156 BA15S Socket w/stand-67456.....	28
E12 Socket-85674.....	28
E27 Socket-75695.....	29
T10 Wedge Socket-89723.....	29
T5 Wedge Socket-47578.....	29
T20 Wedge 7443 Socket-78456.....	29
T20 Wedge 7440 Socket-48754.....	30
T25 Wedge 3157 Socket-59786.....	30
BA9S T10 Miniature Socket-53434.....	30
GU4.0/GX4.0 and GU5.3/GX5.3 Socket-43644.....	30
1156 BA15S Socket-85675.....	31
BA15D Socket-45638.....	31
1157 BAY15D Socket w/stand-35674.....	31
GU10 Socket-43675.....	31
1157 BAY15D Socket-34346.....	31

Converters

E27 to E12 Converter-48343.....	32
E12toE27 Converter-32546.....	32
E27 to GU10 Converter-89675.....	32
E27 to B22 Converter-75645.....	32
B22 to E27 Converter-87956.....	33
E27 to E27 Converter Adapter Extension-78964.....	33
E27 to E17 Converter Adapter-86774.....	33



**Standard Ultra Bright 7 SMT LED Light
45859**

Available in white, warm white, red, green, blue and yellow. Uses 0.5W (45W estimated incandescent equivalent) 145 lumen output. Wide voltage range 85-260 VAC. 30,000 hour rated life. Beam Width of 160 degrees. Frosted glass bulb. The warm white color is created by mixing red and yellow LEDs to create the perfect warm white color. The Standard Ultra Bright 7 SMT LED Light is commonly used for reading light, room lighting, accent lighting, vanity lighting and chandeliers. The 2.5W LED bulb replaces a 45W incandescent bulb and generates almost no heat. The LED light is made with a metal heat sink so it keeps the leds cooler which will make the LEDs last longer. Since the rated life of the bulb is 30,000 hours, the bulb pays for itself by saving you both time and money. Length is 4 3/4" and diameter is 2.4". CE Listed. Fits standard E27 Base Edison screw base. This product is very well designed.

**Available colors: White, Warm White, Red, Green, Blue, Amber Yellow
Available lens types: Fogged**



**Standard Ultra Bright 6 Watt LED Light
78469**

Standard Ultra Bright 6 Watt LED Lights. Available in white and warm white. An amazing 340 Lumen output. Uses only 6 Watts of power. It has a range of 85-265 Volts. 50/60 Hertz operation. The approximate size is 2.75" diameter and 5" long. Very nice heat sink to keep LEDs cooler for longer life expectancy. Good to use for indoor and outdoor applications. Excellent for use as room lighting, decorative lighting as well as ambience lighting. 60 watt equivalent light output. The white is 5000-6000 Kelvin rating and the warm white is 3000-3500 Kelvin rating.

**Available colors: White, Warm White
Available lens types: Fogged**



**Standard Ultra Bright Five 1 Watt LED Light
42522**

Standard LED Light. 5 Watts. 350 Lumen. 300mA current. Consumes 5 Watts of power. Outputs 50 to 55 watt light equivalent. 85V-265V AC wide voltage range. Has 90% reflector efficiency. Dimpled clear lens helps diffuse light without reducing light output. Standard A19 Size packaging. Metal fin heat sink to help keep led light cool. Body temperature less than 70 degrees C. Is not compatible with a dimmer.

**Available colors: White, Warm White
Available lens types: Diffused**



**Side Firing LED Light
45376**

Side firing LED Light. 250 Lumens. 85-265 VAC. E27. Uses 4 watts equivalent to 40 watt light bulb. Available in white and warm white. Very nice and energy efficient LED Light. This product once you screw it in you turn the light and adjust it for your needs. This product uses 8 mm. LED Lights. These L.E.D.'s are extremely bright and very efficient. This products does very good at adjusting the LED light where it is needed. The back is vented to allow the LEDs to operate cooler.

**Available colors: White
Available lens types: N/A**



**GU24 5 Watt LED Light
24325**

GU24 LED Down Light. Designed for homes required to use GU24 sockets. Uses 5 Watts and equivalent to a 55 Watt incandescent light bulb. 120 VAC. Available in white.

**Available colors: White
Available lens types: N/A**



**Ultra Bright Candle LED Light
63452**

E12 Screw base, 150 Lumens, 85-260 VAC. Long life of an estimated 60,000 hours. Approximate wattage equivalency of 45 Watts. Uses 2.5 watts. For both indoor and outdoor uses. Candelabra E12 base. Available in white, warm white. 120 Volts AC. Usage of only 2.8 watts. Glass and heat sink assembly. The dimensions are 6" long and 2" diameter. Great for use in any candelabra fittings, such as chandeliers, reading lamps, hallway lights ECT. CE listed. Available in both White(5500K) and Warm White(3000K).

**Available colors: White, Warm White
Available lens types: Fogged**



**8 Watt LED Light Bulb
56963**

Standard Ultra Bright 8 Watt LED Lights. Available in white and warm white. 500 Lumen output. Uses 8W. 85-265 Voltage. 50/60 Hertz operation. The size is 2.75" diameter and 6.6" long. 60 watt equivalent light output. The white is 6000 Kelvin rating and the warm white is 3000 Kelvin

**Available colors: White, Warm White
Available lens types: Diffused**



**1.3 Watt LED Light Bulb
34678**

LED Light with 18 LEDs. Faceted lens. Long life 60,000 hours. Available in white, warm white, red, green, blue, amber and gradual color changing RGB. Fits in standard Edison medium base socket. 120 Volts AC. 1.3W. Length is 2.95" and the diameter is 1.61". 40-65 lumen. Perfect for party lighting, holiday decor, landscaping, or other indoor or outdoor decor or lighting. Plastic assembly, so it is more durable than a standard light bulb and consumes 1/10 the power to save you time and money. UL, CE, GS, BS and S-MARK listed.

**Available colors: White, Warm White, Red, Green, Blue, Amber, RGB
Available lens types: Diffused**



**24 LED Light Bulb
48645**

24 LED Light Bulb. 120 VAC. 24 Forward firing L.E.D.s. E27

**Available colors: White
Available lens types: Faceted**



**3 Watt LED Light Bulb
75644**

LED Light with 36 LEDs. Choice of clear, faceted or frosted lens. Long life 60,000 hours. Available in white, warm white, red, green, blue, amber and gradual color changing RGB. Fits in standard Edison medium base socket (E27). 120 Volts AC. 3W. Length 3.70" and the diameter is 2.36". All others 40-60 lumen. Great for parties, holidays, landscaping, as well as other indoor or outdoor lighting needs. Plastic assembly makes it more durable than a standard light bulb and it consumes 1/10 the power so it will save you time and money. UL, C-UL and CE listed. The warm white is 3000K and white is 5500K.

**Available colors: White, Warm White, Red, Green, Blue, Amber, RGB
Available lens types: Clear, Frosted, Faceted**



**104 LED 5 Watt LED Light Bulb
47208**

104 LED Light. Uses 6 watts 40-50 watt equivalent light output. Wide world operation 85-265 VAC, 50/60 HZ. 400 Lumen output.

**Available colors: White, Warm White
Available lens types: Diffused**



**Low Profile Candle E14 Base LED Light Bulb
34324**

24 LED Low Profile Candle. Available in Daylight White. Operates 120 Vac. This LED light bulb measures 4.75x2.05in. E14 Base.

**Available colors: Daylight White
Available lens types: Frosted**



**Motion Activated L.E.D. Light Bulb
45703**

Motion activated LED Light Bulb. Great for hallways, corridors, basements, garages and dark closets. 160 Lumen output. 25W incandescent equivalent. Turns on when motion detected turns off when motion is gone. In the dark or dim circumstances, this LED sensor light will turn on automatically if someone moves within its sensitive area, and will keep on lighting for 30~60 seconds after the movement stops. When it turns off in the dark, the LED maintains dim background night light. Saves twice the energy being a LED Light. This LED Light bulb measures in size 3.60x2.69in. E27 base, 120 VAC, 50-60 hz.

**Available colors: White
Available lens types: Clear**



**5 Watt LED Light
83428**

5 Watt LED Light. 450 Lumen output. Comparable to a 55 watt light bulb. Available only in white. E27 Base. 120 VAC. This LED light bulb measures 5x2.24in

**Available colors: White
Available lens types: N/A**



**8 1/2 Watt L.E.D. Light Bulb
47856**

8 1/2 Watt LED Light. Emits LED Light in 360 direction. E27. 120 VAC. Comparable 80 Watt. 1000 lumen output. 2 inch in Diameter x 4.55 inch in Height.

**Available colors: White
Available lens types: N/A**



**13.5 Watt 88 Super Flux L.E.D. Light Bulb
43567**

13 1/2 Watt LED Light. Comparable to a 120 Watt light bulb. Very bright product. 88 Super Flux LEDs. 50-60 hz operation.

**Available colors: White
Available lens types: N/A**



**20 Watt 128 Super Flux L.E.D. Light Bulb
73215**

Comparable to a 200 Watt light bulb. Uses only 20 Watts. 120 VAC. E27 Base. 128 Super Flux LEDs. Each Super Flux LED has 3 chips for a total for 384 LED chips. 50-60 hz operation. CE Listed.

**Available colors: White
Available lens types: N/A**



**Globe LED Lamp E12 Base
19567**

E12 Globe LED Light Bulb. This LED Light works great for E12 applications. Uses only 1.3 watts comparable to a 10 watt light bulb. LED Light bulbs use 90% less energy than standard light bulbs. This LED light bulb measures 3.48x2.13in.

**Available colors: White, Warm White
Available lens types: Frosted**



**High Power Appliance LED Light Bulb
83548**

High Power Appliance LED Light Bulb. Uses one 3 Watt CREE LED. 2nd Generation heat sink. Frosted globe lens. E27 Screw Base. Wide voltage 85-265 VAC. Comparable to a 35 to 45 watt light bulb.

**Available colors: White
Available lens types: Frosted**



**1.5 Watt Appliance E17 Base LED Light Bulb
94753**

Appliance LED Light Bulb with 12 LEDs, Glass Bulb, E17 Base, 120 VAC. The E17 base is intermediate base for use in microwaves and other fixtures that required E17 base light bulb. Available in White and Warm White. Uses only 1.2 watts of power and comparable to 10 watt light bulb.

**Available colors: White, Warm White
Available lens types: Fogged**



**Standard 3 Watt LED Light Bulb
23430**

Solid state L.E.D. Lighting technologies. Uses second generation heat sink. CREE light emitting diodes. This bulb measures from top to bottom 4.90in and a diameter of 2.95in. E27 Base, wide voltage range 85-265 VAC. 50 to 60 hertz operation. Available daylight white 4800 Kelvin.

**Available colors: Daylight White
Available lens types: Fogged**



**7 Watt LED Light Bulb
74556**

7 Watt LED Light 96 LEDs. 600 Lumen output. Equivalent to a 40-50 watt light bulb. Long life span of 60,000 hours. Available in white, warm white, red, blue, green and amber. Fits in standard Edison medium base socket (E27). Wide voltage range 84-260 Volts AC. 7 watts. This LED Light is not dimmable. 2 1/2" diameter x 5 3/4" overall height. Great for desk lamps, landscaping, holidays, everyday lighting, airports, landing strips. UL, C-UL and CE listed.

**Available colors: White, Warm White, Red, Green, Blue, Amber Yellow
Available lens types: Diffused**



**11 Watt LED Light Bulb
34562**

11 Watt LED Light with 180 LEDs. 900 Lumen output . Equivalent to a 50-60 watt light bulb. Long life 60,000 hours. Available in white, warm white, cool white, red, green, blue and amber. Fits in Standard Edison medium base socket (E27). This is not dimmable. 3 1/2" Diameter 5" height. Wide voltage range 84-260AC Volts. 11 watts. For outdoor and indoor use. Good for security lighting and household lighting. UL, C-UL & CE Listed.

**Available colors: White, Warm White, Red, Green, Blue, Amber Yellow
Available lens types: None**



**Globe LED Light Bulb
78427**

Globe LED Light Bulb G11 with 5 LEDs. 20 Lumens. Available in white, warm white, cool white, red, blue, green, amber. 120 VAC frosted G-11 globe bulb, 1.2W (10W incandescent equivalent). 50,000 hour rated life. Suitable for both outdoors and indoors. Dimensions are 2.42inches from top to bottom and 1.74inches around. The G-11 (about the size of a ping pong ball) is commonly used for accent lighting, vanity lighting and chandeliers. Colored G-11 bulbs are often used in marquee signs. The 1.2W LED bulb replaces a 10W incandescent bulb and generates almost no heat. Since the rated life of the bulb is 60,000 hours, the bulb pays for itself by saving you both time and money. The Globe operates with a dimmer switch. UL and CE Listed. E27 Base.

**Available colors: White, Warm White, Cool White, Red, Green, Blue, Amber Yellow
Available lens types: Fogged**



**Standard Ultra Bright 3 Watt LED Light
33152**

175 Lumens, 3 Watt LED, Unique radiating, having appearance patent. The operating temp is under 50-68°C. 40-45 Watt equivalent. 85-265V AC. Approximate size 2 1/4" in diameter and 5.0" length

**Available colors: White, Warm White
Available lens types: Frosted**



**Standard LED Light Bulb
54968**

Comparable to a 20 watt light bulb. Available in white, warm white, cool white, red, blue, green, amber and gradual color changing RGB. Top to bottom 4.25 inches and a diameter of 2.34 inches. 50 Lumens. Suitable for both outdoors and indoors. Long life, greater than 60,000 hours. Fits in Standard Edison medium base socket (E27). 120 Volts AC. 2.4 Watts. Great for house lighting and accent lighting. Plastic assembly, so it is more durable than a regular light bulb and consumes 1/10 the power of a normal light bulb so it saves you time and money. UL, C-UL and CE listed.

**Available colors: White, Warm White, Cool White, Red, Green, Blue, Amber, RGB
Available lens types: Fogged**



**Standard Super Bright LED Light NCNRNW
78545**

**Super Bright Standard LED Light. 25 LEDs. 100 Lumens. PC Lens. Aluminum, Zinc metal alloy heat sink. IP56, 30,000 hours. Great for OSHA approved food industry. Non breakable lens. Wide voltage range. The size is 4.65" in length and 2" diameter. Available in White, and Warm White.
Non-Cancelable, Non-Returnable, Non-Warranty.**

**Available colors: White, Warm Light
Available lens types: Fogged**



**3.7 Watt LED Light Bulb NCNRNW
23234**

LED Light with 57 LEDs. 100 Lumens. 60,000 hours of life. Decor lens. Available in white, warm white, red, blue, green, amber and gradual color changing RGB. Fits in standard Edison medium base socket (E27). 120 Volts AC. 3.7 Watts. Length 2 3/4" and 5" diameter. For indoor or outdoor use. Great for party decor, landscaping, or holiday decor. Because of its wide view angle LEDs, it can be used almost anywhere as ambient lighting. LED Light is UL, C-UL and CE listed. Non-Cancelable, Non-Returnable, Non-Warranty.

**Available colors: White, Warm White, Red, Green, Blue, Amber, RGB
Available lens types: Diffused**



**Candle LED Light Bulb
45345**

Candle LED Light. 18 LED's. 30 Lumens. 10 Watt incandescent equivalent. Long life 60,000 hours. for indoor and outdoor use. Candelabra E12 base. Available in white, warm white, cool white, red, green, blue, amber and color changing RGB. Night light. 120 Volts AC. 2.8 watts. Plastic assembly. The Tapered dimensions are 5" long and 1 5/8" diameter. The RGB uses a E27 Edison screw base instead of candelabra. UL and CE listed.

**Available colors: White, Warm White, Cool White, Red, Green, Blue, Amber, RGB
Available lens types: Fogged**



**Standard Appliance LED Light Bulb
57896**

Standard Appliance LED Light A15. 25 Lumens. 9 LEDs. Equivalent to 15-20 Watt incandescent. Suitable for both outdoors and indoors. Frosted lens. Long life 60,000 hours. Available in white, warm white, cool white, red, blue, green, amber and gradual color changing RGB. Fits in standard Edison medium base socket (E27). 120 Volts AC.

1.3 Watts. Perfect for use in ceiling fans, refrigerators, microwaves and other household appliances. Plastic assembly so it is more durable than a regular light bulb and it only consumes 1/10 the power so it is more energy efficient which will save you time and money. UL and CE listed. The approximate size is 2" diameter and 3 3/4" long.

**Available colors: White, Warm White, Cool White, Red, Green, Blue, Amber, RGB
Available lens types: Fogged**



**Standard Ultra Bright LED Light Bulb
42336**

Standard Ultra Bright LED light with 32 LEDs. Available in white only. Long life up to 60,000 hours. Fits standard E27 Edison screw base. 120 Lumen output. Uses 1.5 watts. Output is 20-30 watt equivalent. CE and UL-listed.

**Available colors: White, Warm White
Available lens types: Clear**



**4 Watt LED Light Bulb
54465**

LED Light with 57 LEDs. 140 Lumens. The diameter of the frosted globe is 4.5" and the length is 6" from top to bottom. Available in white, warm white, cool white, red, green, blue, yellow and gradual color changing RGB. 120 VAC. E27. Comparable to a 35-45 Watt incandescent. Uses 4W. Use for outdoor and indoor lighting. Perfect use for outdoor lamps, indoor lamps, party lighting, landscaping, holiday lighting, or everyday lighting. Dimmable. Available in frosted lens only. Long life 60,000 hours. Plastic assembly so it is more durable than a regular light bulb and it only consumes 1/10 the power so it is more energy efficient which will save you time and money.

Standard Edison screw base. UL and CE listed.

**Available colors: White, Warm White, Cool White, Red, Green, Blue, Amber, RGB
Available lens types: Fogged**



**Standard Ultra Bright 5 Watt Four 1.25 Watt LED Light
43897**

Wide voltage 85 - 260 VAC. 268 Lumen output. 4 1.25 Watt LED Lights. Available in warm white and daylight white. 50-55 Watt equivalency. The overall size is 2.5" diameter globe and overall height is 4.5" in length.

**Available colors: White, Warm White
Available lens types: Clear & Frosted**



**A19 Ultra Bright 50 LED Light Bulb
78459**

A19 Ultra Bright 50 LED Light. E27 base. 120 VAC LED Light. This light is very bright, up to 120 Lumen output. Comparable to a 45 to 55 watt light bulb. Very long life and low cost to operate.



**PAR20 3.5 Watt 48 LED Light Bulb
83546**

PAR20 3.5 Watt 48 LED Light Bulb. 120 VAC. E27 Base. 50/60 HZ. 3.5 watts, very nice color output, very nice bulb. Diffused lens only.



**38 LED Standard LED Bulb
97464**

38 LED Standard LED Bulb. 120 VAC. Uses 2 Watts of power comparable to a 20 to 30 Watt light bulb. E27 Base. 120 VAC. Frosted Lens.



**PAR38 Twelve 1 Watt LED Light
47895**

Light output 1200 Lumens, 75-85W incandescent equivalent. Greater than 30,000 hours life. 12.0 Watt power consumption. 4100 Kelvin daylight white or 3000 Kelvin warm white. 30 Degree viewing angle. Wide voltage 85 VAC - 265 VAC. 4.72 inch diameter x 4.92 inch Height. The body is aluminum which helps the Twelve 1 Watt LED Lights stay cool, which helps the LED last longer. Manufactured with CREE leds for longer and brighter high power LEDs. CE-listed, UL-listed and RoHS.

**Available colors: White, Warm White
Available lens types: Clear**



**PAR30 Nine 1 Watt LED Light Bulb
43253**

9 Watts of usage 540 Lumen output. 65W incandescent equivalent. 6000-7000 Kelvin white or 2800-3000 Kelvin warm white. 45 Degree viewing angle. Wide voltage 85 VAC - 265 VAC. CE Approved. 3.75 inch diameter x 3.9 inch Height. The body is aluminum which helps the nine 1 Watt LED Lights stay cool, which helps the LED last longer men output. World wide voltage operation 85 VAC to 265 VAC, 50HZ or 60HZ.

**Available colors: White, Warm White
Available lens types: Clear**



**C35 LED Candle E27 28 LEDs
39847**

C35 LED Candle E27 28 LEDs. C35 LED Candle E27 28 LEDs. E27 base. 120 VAC. Available in white only. Great light for the candle bulb replacement. Uses very low power and long life. Clear lens.



**High Luminous Flux A19 LED Light
45363**

High Luminous Flux A19 LED Light. Very nice LED Light Bulb. 120 VAC, E26/E27 Base. has 60 High output LEDs. Good for 120 Degree illumination. Available in white only.



**LED S6 Night Light E12 120 VAC
45751**

LED Night Light E12 120 VAC. E12 base. Available in white only. E12 Base. Clear lens. Low profile E12 LED light bulb.



**Standard Ultra Bright 8 Watt LED Light Bulb
45867**

**Standard Ultra Bright 8 Watt LED Light Bulb. 85-260 VAC. E27 screw base. Very nice standard led lighting.
Available in white only approximate 6500 K.**



**4 Watt Standard LED Light Bulb E27
48575**

**4 Watt Standard LED Light Bulb E27. Up to 200 Lumen output. Available in pure white only. 120 VAC. E27 Base.
Very nice low cost LED Light bulb.**



**4 Watt Standard LED Light Bulb E27
48733**

**4 Watt Standard LED Light Bulb E27. Up to 200 Lumen output. Available in pure white only. 120 VAC. E27 Base.
Very nice low cost LED Light bulb.**



**PAR30 Second Generation 7 One Watt LEDs 88-265 VAC
45987**

PAR 30 Second Generation 7 One Watt LEDs 88-265 VAC. Very bright and long lasting PAR 30 LED Light bulb. Uses only 8 watts of power compared to a 50 watt light bulb.

**Available colors: White
Available lens types: Clear**



**9 Watt Spot LED Light
56734**

9 Watt. Spot LED Light. An amazing 950 Lumen output. 500mA current. Consumes only 9 watts of power. Outputs 65 to 75 watt light equivalent. 85V-265V AC wide voltage range. Has 90% reflector efficiency. Standard light bulb size packaging. Metal fin heat sink to help keep led light cool and increase life expectancy . 30 Degree viewing angle. Body temperature less then 70°C. Works as a great spot light to increase LED Light output where it is needed. Good to use for indoor and outdoor applications. Excellent for use as room lighting, decorative lighting as well as ambience lighting and security lighting. CE- listed, UL-listed and RoHS.

**Available colors: White
Available lens types: Clear**



**7 Watt High Power LED Spot Light
45856**

7 LED Spot Light, 800 Lumen output. 7 LED Spot Light, 850 Lumen output. Seven 1 Watt High power LEDs. Metal enclosure keeps the LED' cooler. Wide voltage 100-260. CE-listed, UL-listed and RoHS.

**Available colors: White
Available lens types: Clear**



**PAR20 Ultra Bright Three 2 Watt LED Light
49856**

PAR20 Ultra Bright LED Light with 3 Hi Power 2 Watt LEDs. 50,000 Hours. 300 Lumen output. Available in white only. 85-265 VAC wide voltage.. E27 Base. Aluminum enclosure. Plastic lenses. Shatter proof lens, Approximate size 3" long by 2.5" diameter. 6W. UL and CE listed. Estimated at 40-45 Watt incandescent equivalent.

**Available colors: White, Warm White
Available lens types: Fogged**



**PAR38 Ultra Bright LED Light Bulb
47854**

PAR38 Ultra Bright LED Light PAR 38 series with 108 LEDs. Incandescent equivalent to a 50-60 Watt flood light. 600 lumen output. Available in white, warm white, red (630nm-780nm), green (500nm-570nm), blue (420nm-470nm), amber (570nm-600nm). For indoor and outdoor use. Available in clear or diffused lens. Clear lens has a 30° viewing angle. Fits into standard Edison medium Screw base socket (E27). Glass assembly. Measures 4 3/4" diameter x 5" overall height. Perfect for outdoor LED flood lighting, security LED Lighting, party LED Lighting, decorative LED Lighting, plant grow lights, greenhouses, landscaping and other indoor and outdoor uses. UL, C-UL and CE listed. 13 Watts.

**Available colors: White, Warm White, Red, Green, Blue, Amber Yellow
Available lens types: Clear and Diffused**



**PAR38 LED Light Bulb
83654**

LED Flood Light PAR 38 series with 72 LEDs. Available in white, warm white, red (630nm-780nm), green (500nm-570nm), blue (420nm-470nm), amber (570nm-600nm) and color changing RGB. 30° viewing angle. Comparable to a estimated 40-45W light output. Long life greater than 60,000 hours. Great for indoor and outdoor uses, security LED Lighting, decorative LED Lighting, grow lights, . E27 Edison medium base. Approximate 5" tall x 4 3/4" diameter. 120 AC Volts. 6 watts. 285 Lumens. Glass assembly. UL and CE listed.

**Available colors: White, Warm White, Red, Green, Blue, Amber, RGB
Available lens types: Clear and Diffused**



**PAR20 LED Light Bulb
34456**

LED Flood Light PAR 20 series with 36 LEDs. Clear or diffused lens. 20-30W light output all others. Long life greater than 60,000 hours. Great for indoor and outdoor use. Available in white, warm white, green, red, blue, amber and gradual Color Changing RGB. E27 Edison medium Base. 120 VAC Volts. 3 Watts. 85 Lumen output. Approximate size 2.66" at widest lens diameter and 3.42" length. Glass assembly. UL and CE listed. This product will operate with a dimmer switch but product may glow or flicker when turned off. The range of dimming is 50%.

**Available colors: White, Warm White, Red, Green, Blue, Amber, RGB
Available lens types: Clear and Diffused**



**8 Watt PAR30 Nichia LEDs
89785**

8 Watt PAR30 Nichia LEDs. 85-260 VAC. E27 Base. 50-60 Hz. Available in white and warm white. Very focused and well designed LED Lamp buy Nichia. Nichia is the inventor of the white L.E.D. and has many patents. This LED measures from top to bottom 3.70in and a diameter of 3.73in.

**Available colors: White, Warm White
Available lens types: Clear**



**PAR30 LED Light Bulb
43564**

PAR 30 LED Flood Light PAR 30 series Short Neck with 60 LEDs. Clear or diffused lens. Long life greater than 60,000 hours. Equivalent to a 35-45 Watt bulb. Great for indoor and outdoor use. Available in white, warm white, red, green, blue, amber and color changing RGB. Fits in standard Edison medium Base socket (E27). Approximate 3.74" tall x 3.7" diameter. 120 Volts AC. 6 watts. 140 Lumen output. Glass assembly. UL, C-UL and CE listed. This product can be used with a dimmer the bulb may glow or flicker when off and the range of dimming is 60%.

**Available colors: White, Warm White, Red, Green, Blue, Amber, RGB
Available lens types: Clear and Diffused**



**PAR16 Three 1 Watt Ultra Bright LED Light
36357**

PAR16 Ultra Bright LED Light with 3 Hi Power 1 Watt LEDs. 60,000 Hours. 200 Lumen output. Available in white only. 85-265 VAC wide voltage. E27 Base. Aluminum enclosure. Plastic lenses. Shatter proof lens, Approximate size 5" long by 2.5" diameter. 3W. UL and CE listed. Estimated at 30-35 Watt incandescent equivalent.

**Available colors: White
Available lens types: Clear**



**PAR16 24 LED 1.3 Watt LED Light
32633**

PAR16 24 LED Light. 1.3 Watt. Compared to a 15 to 25 watt light bulb. This LED Light bulb measures from top to bottom 2.73in and a width of 1.94in. 120 VAC. E27 Base. 24 forward firing LEDs with reflector.

**Available colors: White
Available lens types: Faceted**



**PAR20 Ultra Bright LED Light
48798**

PAR20 Ultra Bright LED Light with 3 Hi Power 3 Watt LEDs. 60,000 Hours. 300 Lumen output. Available in white only. 85-265 VAC wide voltage. E27 Base. Aluminum enclosure. Plastic lenses. Shatter proof lens, Great for OSHA approved environments such as food industry and elevators. Approximate size 5" long by 2.5" diameter. 3W. UL and CE listed. Estimated at 40-45 Watt incandescent equivalent.

**Available colors: White
Available lens types: Clear**



**PAR20 Super Bright LED Light
63256**

PAR20 Super Bright LED Light with 3 Hi Power 1 Watt LEDs. 60,000 Hours. 225 Lumen output. Available in white only. 85-265 VAC. E27 base. Aluminum enclosure. Plastic lenses. Shatter proof lens, Great for OSHA approved environments such as food industry and elevators. 3W. Approximate size 5" long and 2.5" diameter. UL and CE listed.

**Available colors: White, Red, Green, Blue, Amber Yellow
Available lens types: Clear**



**PAR20 Three 1 Watt LED Light
36352**

PAR20 Super Bright LED Light with 3 Hi Power 1 Watt LEDs. 60,000 Hours. 150 Lumen output. Available in white, red, green, blue, and yellow amber. 120 VAC. E27 base. Aluminum enclosure. Plastic lenses. CE-listed and UL-listed.

**Available colors: White
Available lens types: Clear**



**PAR30 Seven 1 Watt Wide Angle LED Light
86754**

Light output 420 Lumens, 50W incandescent equivalent. 7.0 Watt power consumption. 6000-7000 Kelvin daylight light or 2800-3300 Kelvin warm white. 45 Degree viewing angle. Wide voltage 85 VAC - 265 VAC. Reflector efficiency of 90%. CE Approved. 3.25 inch diameter x 3.1 inch Height. The body is aluminum which helps the seven 1 Watt LED Lights stay cool, which helps the LED last longer.

**Available colors: White, Warm White
Available lens types: Fogged**



**PAR56 LED Light 7 Watt
79642**

PAR56 LED Light. Uses 12 Watts, comparable to a 100 Watt light bulb. 120 VAC. Available in white only.

**Available colors: White
Available lens types: Diffused**



**2 Inch Down LED Light Bulb
45745**

2 Inch LED down Light Bulb. 3 forward firing LEDs. Great for general lighting in kitchens, hallways, sitting rooms, dining rooms, etc. 85-265VAC. Available in white only. UL-listed

**Available colors: White
Available lens types: Fogged**



**Six Inch Down Light
74367**

Six Inch Down Light. This LED measures from top to bottom 3.24in and a width of 4.7in. 9 Forward firing LEDs. Available in soft white only. Great for general lighting in kitchens, hallways, sitting rooms, dining rooms, etc. 95-260 VAC.

**Available colors: White
Available lens types: Fogged**



**GU10 12 SMD LED Light
25364**

GU10 12 SMD LED Light. 120 VAC. Uses 2.5 Watts comparable to a 20 watt light. 120 Volt AC. Available in white only. This LED light bulb measures 2.69x2.55in.

**Available colors: White, Warm White
Available lens types: N/A**



**PAR16 One 3 Watt LED Light
28469**

PAR16 One 3 Watt LED Light. Uses CREE led. Very bright and excellent heat disipation using 2nd generation heat sink design. Height by width is 3.46x2.32. Wide voltage range 85-265 VAC. 120 Lumen output.

**Available colors: White
Available lens types: Clear**



**PAR30 Seven 1 Watt LED Light Bulb
65223**

Light output 650 Lumens, 60W incandescent equivalent. 7.0 Watt power consumption. 6000-7000 Kelvin white or 2800-3300 Kelvin warm white. 30 Degree viewing angle. Wide voltage 85 VAC - 265 VAC. CE Approved. 3.70 inch diameter x 2.97 inch Height. The body is aluminum which helps the LED Lights stay cool, which helps the LED last longer.

**Available colors: White, Warm White
Available lens types: Clear**



**PAR16 Three 1 Watt LED Light
95562**

180 Lumen output. Comparable to a 45 Watt incandescent. 3 Watt power consumption. 300 mA current consumption. Available in white 6000-7000 Kelvin or warm white 2800-3300 Kelvin. Long life of 50,000 hours. 30° viewing angle. Standard E27 screw in base. Operating voltage 120V AC. 1.96 inches diameter x 2.95 inches height. Lens is crystal glass. No ultraviolet (UVA, UVB, UVB) or radiofrequency (RF) energy. Can be dimmed with a variable AC or DC voltage supply. One per package.

**Available colors: White, Warm White
Available lens types: Clear**



**PAR30 High Power 7 Watt LED Light Bulb
44343**

PAR30 High Power 7 Watt LED Light. Uses seven CREE LEDs. Very nice warm white color. Wide voltage range 85-256VAC. Up to 800 Lumen output. UL-listed and RoHS.

**Available colors: Warm White
Available lens types: Frosted**



**T12 T8 LED Tube Light 4 Foot 15 Watt
55634**

LED T12 T8 Tube Light. 300 LEDs. 1500 lumens. 85-277 VAC. 4 foot in length. Plugs directly into fluorescent 2 prong receptacle replaces standard F40T12 lamps. Remove existing ballast. Plastic tube housing. Humidity/moisture resistant. Available in white. 15W. Replaces standard fluorescent tube lights. There is no turn on wait for the tube lights. Great for business lighting, home lighting, accent lighting, or office lighting. LED T8 Tube Lights work in homes, offices, boats, RVs, buses, trains, for cabinet lighting, task lights, etc. Since you remove the ballast you save even more energy costs and replacement costs.

**Available colors: White, Daylight White
Available lens types: Fogged**



**12 SMD PAR16 3 Watt LED Light Bulb
57342**

12 SMD PAR16 LED Light Bulb. 120 VAC. E27 PAR 16 or JDR type. Uses 12 5050 SMD LEDs. Only uses 3 watts outputs 25 to 30 light output. 120 VAC.

**Available colors: White, Warm White
Available lens types: N/A**



**PAR38 6 Watt 120 LED Light Bulb
57363**

PAR38 6 Watt 120 LED Light Bulb. Uses only 6 watts comparable to a 50 to 60 watt light bulb. E27 base, 120 VAC 50/60 HZ. Diffused lens only. Available on in white 6000 Kelvin.

**Available colors: White
Available lens types: Diffused**



**Dimmable LED PAR 30 Seven 1.2 Watt LED Light Bulb
58461**

Dimmable PAR 30 LED Light bulb. This LED bulb uses seven 1.2 Watt high power LEDs. You can use this LED PAR 30 for applications that require a dimmable LED Bulb used in a electronic dimmers. The bulb can operate 85-265 VAC. Available in white only. Available in daylight only approximate color is 4400K.

**Available colors: Daylight White
Available lens types: N/A**



**PAR30 5 Watt 84 LED Light Bulb
72337**

PAR30 5 Watt 84 LED Light Bulb. 120 VAC. 50/60 HZ. E27. This L.E.D. bulb uses 84 leds for a very bright PAR30 light bulb. Comparable to a 40 to 45 watt light bulb uses only 4.5 watts. Available in white only diffused lens only

**Available colors: Daylight White
Available lens types: Diffused**



**G9 48 SMT Forward Firing LED Light Bulb
77653**

G9 48 SMT Forward Firing LED Light Bulb. Wide voltage 85-265 VAC. 50/60 HZ. Available in white only. Very nice forward firing 48 surface mount LED's. Approximate size is 1.70in x 1.83in.



**Dimmable L.E.D. Par 38 Nine 1.2 Watt LED Light Bulb
85765**

Dimmable L.E.D. Par 38 Nine 1.2 Watt LED Light Bulb Use this LED dimmable Par 38 with your electronic dimmers. Available in daylight white 4400K. Wide voltage 85-265VAC. E27 Base.



**PAR 36 LED Lighting 120 VAC Bi-Lugs
25784**

PAR 36 LED Lighting 120 VAC Bi-Lugs. Available in white only. 120 VAC. LED Bulb has 126 LEDs. 30 Degree viewing angle.



**T12 T8 LED Tube Light 2 Foot 7 Watt
26536**

LED T12 T8 Tube Light. 150 LEDs. 600 lumens. 100-277 VAC. 2 foot in length. Plugs directly into fluorescent 2 prong receptacle replaces standard lamps. Remove existing ballast. Plastic tube housing. Lasts 50,000 hours. Humidity/moisture resistant. 6000K color temperature. Available in white. 7W. Replaces standard fluorescent tube lights. There is no turn on wait for the tube lights. Great for business lighting, home lighting, accent lighting, or office lighting. LED T8 Tube Lights work in homes, offices, boats, RVs, buses, trains, for cabinet lighting, task lights, etc. Since you remove the ballast you save even more energy costs and replacement costs.

**Available colors: White, Daylight White
Available lens types: Fogged**



**T5 Tube LED Light
34546**

800 Lumen output. Uses only 8 watts of power. 120 VAC. 4 Foot long. Interlinkable T5 Tube lights. Has socket for input power and the output Interlinkable connection.



**36 One Watt LED RGB Wall Washer DMX
45667**

36 one watt LEDs. Red, Green and Blue high power leds. DMX controlled built in and remote control. Plugs into stand 120 VAC receptacle.

**Available colors: RGB
Available lens types: Clear**



T8 T12 1/3 Watt High Power SMT 2 Foot / 60 CM LED Tube Light

56343

Consumes approximately 9 Watts, 30 Pieces of a 1/3 Watt High Power SMT LED's. 780 Lumen output. 120 VAC. 50-60 Hz. Replace your hazardous mercury based tube lights with green energy L.E.D.'s. Available in 5500K-6500K white only. LED tube lights run cooler and longer than standard lights. With a life expectancy of approximately 50,000-60,000 hours.



T8 T12 320 SMT 19 Watt 4 Foot LED Tube Light

5936

LED Tube Light. 320 SMT 3528 LEDs. Uses only 19 Watts. Up to 1920 Lumen output. 120 VAC. Available in white only 5500K-6500K.



T12 T8 4 Foot 60 S.M.T. LED Tube Light

78541

ot 60 S.M.T. LED Tube Light. 85-260 VAC. 60 High power SMT LEDs. 18 Watt LED Light output. Save up to 90 percent energy saving using LED Lights.



**T8/T12 10 Watt 160 SMT 3528 2 Foot LED Tube Light
84658**

T8/T12 10 Watt 160 SMT 3528 2 Foot LED Tube Light. Uses only 10 Watts of power. Up 1000 Lumens of light output. 120 VAC. Available in white 5500K-6000K only.



**T12 T8 5 Foot 90 S.M.T. LED Tube Light
28567**

19 Watt T8/T12 5 Foot S.M.T. L.E.D. Tube Light. Uses 27 Watts power. Up to 2400 Lumen output. Very Bright, great for green office, factory, shop and household tube light replacement. Has 90 1/3 Watt S.M.T. LED's. comes in white only.



**LED Digital Tube DMX512 Interlinkable 120 VAC
34522**

LED Digital Tube DMX512 Interlinkable 120 VAC. The unit uses 120 VAC and a DMX controller. These digital tubes can be synchronized via the DMX. The tube is water resistant and has strong mounting brackets to mount the tube. Unit requires DMX controller that is separate.

Available colors: Digital Color RGB



30 Watt High Power LED Light
73957

Use for High Pressure sodium replacement (HPS). LED Power is 30 watt, the equivalent to a 250 watt HPS bulb. Wide voltage from 85 - 264 VAC. E39 Mogul base. Available in white 5500K and warm white 3000K. 2500 to 3000 Lumen output.

Available colors: White
Available lens types: N/A



20 Watt High Power LED Light
23157

20 Watt High Power LED Light. Turn able LED Light so the light can be focused where it is needed. Wide voltage range from 85-265 VAC. E39 Mogul base. Available in white 5500K and warm white 3000K. 1500 to 2000 Lumen output.

Available colors: White
Available lens types: N/A



30 Watt LED Street Light
42313

2400 Lumen output. 250W Incandescent equivalent. 30 Watt power consumption. White 5000-7000K. 50,000 hour life. Greater than .75 Color index. Wide operating voltage 85-265 VAC. Operating temperature 0°C to 70°C. Made of aluminum and glass. IP65 Rated. Great for sidewalks, roads and parking garages.

Available by special order
Available lens types: N/A



**60 Watt Street LED Light
48675**

4800 Lumen output. 500W Incandescent equivalent. 60 Watt power consumption. White 5000-7000K. 50,000 hour life. Greater than .75 Color index. Wide operating voltage 85-265 VAC. Operating temperature 10°C to 85°C. Made of aluminum and glass. IP65 Rated. Great for sidewalks, roads and parking garages.

**Available by special order
Available lens types: N/A**



**36 One Watt L.E.D. Wall Washer DMX
45673**

36 one watt LEDs. Wall Washer DMX. Available in white, warm white, red, green, blue and yellow. 120 VAC DMX input/output controller. 30° viewing angle.

**Available colors: White, Warm White, Red, Green, Blue, Yellow
Available lens types: Clear**



**L.E.D. Electronic Display
63456**

Electronic LED Light Display, programmable. Easy installation, easy to use remote control. Select and display a message with a single button press. Program your own texts fast and simple, self-adhesive mounting. Powered from a 12V/24V lighter outlet with 1m. cord. Approximate size 16.7x3.4inches. Includes a wall plug in converter so you can use it at the home in the car. Very easy to use with the infrared remote control.

**Available colors: Red
Available lens types: N/A**



**Remote Control LED Light 12Volt DC
63423**

30 Super flux LEDs. Great for reading, photography, underneath cabinets. 180 Lumen output. Mounting hardware to mount light to cabinet, wall, brackets angled for LED Light angled mount. 120 VAC power cord include to operate at 120 VAC or 12 VDC without power supply. A Tripod is included great for photography, pictures, wall washing & reading. The current draw at its brightest setting is .5 amp and at the lowest setting the draw is .020 amps. The approximate dimensions are 11 1/4" x 7/8" Deep x 1 3/4". One remote control will control multiple units.

**Available colors: White
Available lens types: Clear**



**G9 30 L.E.D. 120 Volt AC LED Light Bulb
74846**

G9 30 LED Light. G9 Base. 120 VAC. 120 Lumens. 120 VAC. Greater than 30,000 hour life.

**Available colors: White, Warm White
Available lens types: N/A**



**100 Watt LED High Hat High Power LED Light
23182**

100W High Hat LED Light Bulb. This LED High-hat uses 100 Watts of power, comparable to a 500 high pressure sodium light bulb. 20-260VAC. 50/60HZ, IP 65 Rated. 40 degree viewing. Available in white only.



**50 Watt High Power Outdoor Spot Light
75634**

50 Watt Outdoor Spot Light. 90-260VAC, 50/60HZ. 80 Degree, Greater than 80 CRI, IP 65 Rated. Very nice outdoor security and wall washing effects. Comparable to 500 watt light bulb. Available in white only.



**30 Watt Low Profile High Power Outdoor L.E.D. Spotlight
78233**

Low Profile High Power 30 Watt Outdoor L.E.D. Spotlight. Operates 90-260 VAC 50/60HZ. Available in white only. Viewing angle 40 degrees. CRI greater than 80. Uses 30 watts comparable to 275 watt light.



**DMX Cable Harness 1 Meter
78654**

DMX Cable Harness 1 Meter. Use this cable to connect or wire together two DMX LED Lighting products. This harness is 1 meter in length / 39 inches. Use with standard DMX or DMX 512 interfaces. Available in female to female, female to male and male to male connections.



**36 One Watt LED RGB Wall Washer DMX
45667**

36 one watt LEDs. 2520 lumen output. Red, Green and Blue high power leds. DMX controlled built in and remote control. Plugs into stand 110-220 VAC receptacle. Approximate size is 8.12in (height) x 5.85in (width).

Available colors: RGB

23



**Motion activated 5 Watt L.E.D. Light Bulb
56935**

Motion activated 5 Watt light. Automatically turns on when motion detected. Turns back off when motion is gone. Great to save energy cost and make more convenient lighting. Very bright and energy saving product saves both the energy of LED Lighting and saves energy by only turning on and off when needed. This LED Light is measured 4.6x11.7in.

**Available colors: White
Available lens types: Frosted**



**DMX 512 Address Editor
33213**

DMX 512 Address Editor. Includes 12 VAC adapter to plug into wall and convert 120 VAC to 12V DC. The unit allows DMX commands to be sent to DMX controlled LED Lights.



**DMX Controller for Digital Tube
43522**

DMX Controller for Digital Tube. This controller only works with Digital LED Tube part number 34522. The digital unit has LCD display, 120 VAC wall power pack. With this controller allows the DMX Digital LED Tube to light up.



**Moving LED Light DMX512 Controlled
35522**

Moving LED Light DMX512 Controlled. 120 VAC. The LED lights move around based on DMX input and output. The LED moving light can pan and rotate in all directions color changing RGB.



**High Power 36 Watt Low Profile LED Wall Washer
45846**

High Power 36 Watt Low Profile LED Wall Washer. Very low profile, 1 watt high power leds in a single row. Illuminates the wall, building with RGB color changing LED Light. DMX Controlled, wide voltage range 110-240 VAC.

Available colors: RGB



**G9.5 39 LED Light 120 Volt AC
43543**

G9.5 LED replacement. 120 VAC. 39 LEDs. Available in white and warm white.

**Available colors: White, Warm White
Available lens types: N/A**



**Easylight Round 6 LED Light
56345**

Easylight 6 LED round. Operates on three AAA batteries (included). Sticks anywhere with adhesive backing (Also included). Measures .89 inches in width and 2.75 inches in diameter. Complete with 6 Leds & 3 functions for an extremely versatile light, compared to other brands with 3 leds and only a on/off function. Leds make batteries last a very long time. The 3 functions gives you the choice of a spot light (tap 1) a flood light (tap 2) and a super bright light (tap 3). Three lights in one. Great for use in home, vehicle, office, and anywhere else you might need a little extra light. Estimated to last 3 weeks if left on all the time.

**Available colors: White
Available lens types: Clear**



**Easylight Square 6 LED Light
65734**

Easylight Square 6 LED Light. Operates on three AAA batteries (included). Sticks anywhere with adhesive backing (Also included). Measures .89 inches in width and 2.75 inches in diameter. Complete with 6 LEDs & 3 functions for an extremely versatile light, compared to other brands with 3 LEDs and only a on/off function. LEDs make batteries last a very long time. The 3 functions gives you the choice of a spot light (tap 1) a flood light (tap 2) and a super bright light (tap 3). Three lights in one. Great for use in home, vehicle, office, and anywhere else you might need a little extra light.

**Available colors: White
Available lens types: Clear**



**GU24 Recessed Can Fixture
97684**

GU24 Recessed Can Fixture

**Available colors: N/A
Available lens types: N/A**



**In Ground LED Light
32657**

LED Light. 18 LEDs. 38 Lumens. 30,000 hour life for white, 60,000 hour life for colors. Perfect for art shows, galleries, party lighting, landscaping, or household lighting. Available in white, warm white, cool white, red, blue, green, amber and gradual color changing RGB. Approximate size 2 1/4" diameter and length is 3 1/2". 120 Volts AC. 1.3 Watts. Glass and Plastic assembled. UL, C-UL and CE listed.

**Available colors: White, Warm White, Cool White, Red, Green, Blue, Amber, RGB
Available lens types: Clear**



**E14 Low profile LED Light
53746**

E14 Low Profile LED Light. E14 Base. 120 VAC. 48 lumen output. 1 watt incandescent equivalent.

**Available colors: White, Warm White
Available lens types: N/A**



**GU10 Three 1 Watt LED Light
86525**

GU10 Three 1 Watt LED Light. 85-260 VAC. 180 Lumens. 50,000 hour life. Available in white and warm white. GU 10 base. Equivalent to a 25-35 Watt light bulb. Long life 30,000 to 50,000 Hours. CE and ROHS.

**Available colors: White, Warm White
Available lens types: Clear**



**GU10 7 SMT LED Light
43783**

140 Lumen output, 40W incandescent equivalent. 2.5 Watt power consumption. 5000 Kelvin daylight white or 3000 Kelvin warm white. 120° viewing angle. CRI 75-80. GU10 base. Voltage 120 VAC. CE Approved. 2 inch diameter x 2 inch Height.

**Available colors: White, Warm White
Available lens types: Fogged**



**Torch LED Light
31456**

LED Torch. 8 white LEDs. Battery operated LED desk book light. Water proof. Anti-shock switch. Non slip. Use in car, home and outdoors, camping trips, great for the office, home reading, also great for music stand lighting. LED Bulb life 100,000 hours. The Length is 12" inches from top to bottom the base width is 3.5" with a base height of 1.34". The head of the light is 3.10" in length and .5" in width. the neck of the light stretches to 6.5" in length. Uses 3 AAA batteries not included.

**Available colors: White
Available lens types: Clear**



**Motion LED Lighting
56784**

Motion LED Lighting. Use this led lamp and never be without light again. This light has both a motion sensor so if you move within the motion detection area the led light will turn on.

**Available colors: White
Available lens types: Clear**



**Sound Activated LED Lamp E27 120 VAC
58864**

Sound Activated LED Lamp E27 120 VAC. Approximately 65db sound within a 15 foot range will activate this LED Light. Available in white only. 120 VAC. E27 Base.

**Available colors: White
Available lens types: N/A**



**High Power 4 Watt LED Underground LED Lighting
94852**

High Power LED Underground Light. Four 1 Watt LED Lights. Made of stainless steel, very durable. Wide voltage 110-240 VAC. Available in white only.



**T15 Wedge Socket
86745**

T15 Wedge with pigtail



**S25 BA15D Socket with Stand
35523**

S25 BA15D with stand and wires.



**1156 BA15S Socket with Stand
67456**

1156 socket with stand



**E12 Socket
85674**

E12 Socket with pigtail. Candelabra UL listed.



**E27 Socket
75695**

E27 Socket with pigtail. UL listed.



**T10 Wedge Socket
89723**

T10 Wedge Socket



**T5 Socket for T5 Wedge
47578**

T5 Wedge socket with wires.



**T20 Socket for T20 Wedge 7443 Socket
78456**

T20 Wedge 7443 Socket with pigtail wires



**T20 Socket for T20 Wedge 7440
48754**

T20 Wedge 7440 Socket with pigtail wires.



**T25 Socket for T25 Wedge 3157
59786**

T25 Wedge 3157 Socket with wires.



**BA9S Socket Miniature
53434**

BA9S with pigtail. T10 BA9S socket.



**GU4.0/GX4.0 and GU5.3/GX5.3 Socket
43644**

GX4.0 and GX5.3 Socket with pigtail



**1156 BA15S Socket
85675**

1156 Socket with pigtails



**BA15D Socket
45638**

BA15D Socket with pigtail



**1157 BAY15D Socket with Stand
35674**

1157 Socket, with stand



**GU10 Socket
43675**

GU10 Socket with pigtail



**1157 BAY15D Socket
34346**

1157 Socket with pigtail.



**E27 to E12 Converter
48343**

Converts E27 Edison screw base to E12 candelabra base. Great to use with our E12 LED Light products.



**E12 to E27 Converter
32546**

Converts E12 candelabra base to E27 standard Edison screw base. Works great to adapt LED Lights to E12 candelabra screw base sockets. E12 candelabra sockets are commonly used for decorative lighting applications.



**E27 to GU10 Converter
89675**

Converts E27 Edison screw base to GU10 bayonet base. Now you can adapt your GU10 LED Lights to screw into a standard light E27 Edison screw base.



**E27 to B22 Converter
75645**

Coverts E27 Edison screw base to B22 bayonet base.



**B22 to E27 Converter
87956**

Converts B22 bayonet base to E27 standard Edison screw base. Works great to adapt LED Lights to B22 base sockets.



**E27 to E27 Converter Adapter Extension
78964**

Extends E27 1 1/2 inches for use in par 30 long neck using a par 30 short neck. E27 to E27 converter, adapter. 120 VAC. Helps extend that light bulb and makes it easier to screw in led lamps and normal light bulbs into the socket in hard to reach area.



**E27 to E17 Converter Adapter
86774**

E27 to E17 converter or adapter. Works great when you have a E17 bulb and you need to use it in an E27 socket.

LEDLight.com



*Thank You
for choosing*

LEDLight.com



LEDLight.com LLC
12215 East Chandler Heights Rd Chandler, AZ 85249
Toll Free 1(877)283-5060 Local 1(602)997-0366 Fax 1(602)861-4088